
#### **Models E and EA**

Compact, direct machine-mountable mist collectors designed to collect, filter, and reclaim mist generated from machines using oil-based, synthetic, semi-synthetic, or water-soluble coolants.




- E-500
- Efficient, compact design handles mist and smoke applications from 100-1000 cfm.
- Three stages of filtration for high filtration efficiency and optimum filter life.
- Available with high performance in-cover or in-line prefilters for removal of swarf and large chips and in-cover impingers for applications with heavy concentrations of fine mist.
- High collection efficiency of 98% on 1.0 μm increasing to 99.97% at 0.3 μm with optional fourth stage HEPA filter.
- Direct-mount capability minimizes ductwork.
- Recirculation of clean air eliminates the need for costly make-up air.
- Provides a clean work environment for maximum productivity.
- Helps support OSHA Clean Air Standards.


#### **Operational Explanation**




- Inexpensive, throwaway filter liners reduce maintenance costs.
- Sturdy, compact, 16-gauge steel encasement is tough and solid for harsh industrial environments.
- Optional HEPA and carbon filters are available on all models.


#### **Performance Selections**





### **Dimensions & Specifications**





Front	View

	Nominal		Dimensions*** (inches)					Sound	Shipping		
Model	Airflow* (cfm @1" TSP)	Motor (hp)	A	В	С	D	E	F	G	Level dB(A)†	Weight (lbs)
E-100	100	0.5	14.9	11.5	11.5	19.4	11.5	3.9	14.5	70	125
E-200	200	0.5	14.9	11.5	11.5	19.4	11.5	3.9	14.5	70	125
E-300	300	1	17.1	11.5	12.3	21.4	11.5	3.9	14.5	72	145
E-500	500	1	17.1	11.5	12.3	21.4	11.5	5.9	14.5	72	145
EA-700	700	3	20.8	11.5	12.3	23.2	11.5	5.9	18.3	74	190
EA-900	900	3	20.8	11.5	12.3	23.2	11.5	5.9	18.3	74	190
EA-905	1000**	3	20.8	11.5	12.3	23.2	11.5	5.9	18.3	76	190

\* Based on clean filters

Model

E-100

E-200 E-300

E-500

**EA-700** 

**EA-900** 

EA-905

Α

9.1 9.1

9.1

12.1

12.1

12.1

12.1


5.9


5.9

5.9

- \*\* 1,000 cfm @ 2" External Static Pressure (ESP).
- \*\*\* Dimensions do not include HEPA option.

  † The actual measured sound level will vary, depending on background noise and room conditions.





Horizontal Prefilter Trap							
	Dimensions (inches) Horizontal						
	В	С	D	E			
	3.9	6.0	9.1	10.0			
	3.9	6.0	9.1	10.0			
	3.9	6.0	9.1	10.0			
	5.9	8.0	12.1	13.0			

12.1

12.1

12.1

13.0


13.0

13.0

8.0

8.0

8.0



Vertical Prefilter Trap

	Dimensions (inches)  Vertical							
Model	A B C D E							
E-100	9.1	3.9	6.0	10.8	11.8			
E-200	9.1	3.9	6.0	10.8	11.8			
E-300	9.1	3.9	6.0	10.8	11.8			
E-500	12.3	5.9 8.0		14.1	15.5			
EA-700	12.3	5.9	8.0	14.1	15.5			
EA-900	12.3	5.9	8.0	14.1	15.5			
EA-905	12.3	5.9	8.0	14.1	15.5			

#### **Standard Features & Equipment Options**

Standard Optional

Standard Optional

Collector Design		
Heavy-Gauge Steel Construction	X	
Three Filtration Stages	X	
TEFC Motor	X	
Drain Kit	X	
3-Phase, 50-60 Hz Motor	X	
1-Phase, 60 Hz Motor		X
Flexible Inlet Hose Kit		X
Pedestal–6' x 6"		X
Explosion Proof Motor		X
Aluminum Drum Assembly		X
Vibration Isolators		X
Inlet Adapter		X
Prefilter Trap		X
In-Cover Trap		X
In-Cover Impinger		X

Filters and Liners		
Throwaway Liner	X	
Primary Filter	X	
Secondary Filter	X	
Exhaust Grill Filter	X	
Sock Filter (In-Line Prefilter)		X
Carbon Filter		X
HEPA Filter (Fourth Stage)		X
Paint System		
Electrostatically applied powder coat TGIC polyester texture finish (2-mil dry film thickness) inside and out. Paint system passed a 350-hour salt-spray corrosion protection test	x	
Hostile Environment Coating		X
Custom Color		X
Warranty		
10-Year Warranty	X	



Donaldson Company, Inc. Industrial Air Filtration P.O. Box 1299 Minneapolis, MN 55440 Tel 800-365-1331(USA) Tel 800-343-3639 (within Mexico) dustmktg@mail.donaldson.com www.donaldsontorit.com Significantly improve the performance of your collector with genuine Donaldson Torit replacement filters and parts.

Visit us at www.donaldsondynamic.com



Information in this document is subject to change without notice.

© 2003 Donaldson Co., Inc. Printed in U.S.A. on recycled paper Data Sheet Centrifugal (03/06)